

# Safety data sheet

## according to 1907/2006/EC, Article 31 and 453/2010/EC

Printing date 30.10.2019

Version number 6

Revision: 29.10.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier**Trade name: **Cu-Roflux 39**

UFI: RC89-7008-T00U-UKNS

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Felder GmbH  
Im Lipperfeld 11  
D-46047 Oberhausen

Tel.: +49 (0)208/ 85035-0

Fax.: +49 (0)208/ 26080

http://www.felder.de

e-mail: info@felder.de

**Further information obtainable from:**

lab

(mo-thu. 8:00 a.m. - 4:00 p.m./ fr. 8:00 a.m. - 1:00 p.m.)

email: mprobst@felder.de

**1.4 Emergency telephone number:**

24 hr. emergency information:

Poison emergency call Berlin

"Giftnotruf Berlin"

Tel.: 0049-30-30686 790

EuPCS: PC-TEC-24

### SECTION 2: Hazards identification

**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS05 corrosion

Skin Corr. 1B      H314 Causes severe skin burns and eye damage.

Eye Dam. 1      H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2    H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4      H302 Harmful if swallowed.

STOT SE 3      H335 May cause respiratory irritation.

**Additional information:**

No classification on "flammable" Cat. 3, because test L.2 on self-sustained combustion in accordance with Annex I  
Regulation 286/2011 no. 2.6.4.5 is negative.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS05 GHS07 GHS09

**Signal word** Danger**Hazard-determining components of labelling:**

zinc chloride

(Contd. on page 2)

— EU —

# Safety data sheet

according to 1907/2006/EC, Article 31 and 453/2010/EC

Printing date 30.10.2019

Version number 6

Revision: 29.10.2019

Trade name: Cu-Roflux 39

(Contd. of page 1)

ammonium chloride

**Hazard statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Labelling of packages where the contents do not exceed 125 ml****Hazard pictograms**

GHS05 GHS07 GHS09

**Signal word** Danger**Hazard-determining components of labelling:**

zinc chloride

ammonium chloride

**Hazard statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures****Description:** Mixture: consisting of the following components.

Dangerous components:		
CAS: 7646-85-7 EINECS: 231-592-0 Reg.nr.: 01-2119472431-44	zinc chloride ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	<25%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	<10%
CAS: 12125-02-9 EINECS: 235-186-4 Reg.nr.: 01-2119487950-27	ammonium chloride ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	<2.5%

(Contd. on page 3)

— EU —

# Safety data sheet

according to 1907/2006/EC, Article 31 and 453/2010/EC

Printing date 30.10.2019

Version number 6

Revision: 29.10.2019

Trade name: Cu-Roflux 39

(Contd. of page 2)

**Additional information:** *For the wording of the listed hazard phrases refer to section 16.*

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General information:** *Immediately remove any clothing soiled by the product.*

**After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.*

**After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*

**After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

**After swallowing:** *Drink plenty of water and provide fresh air. Call for a doctor immediately.*

**4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*

**4.3 Indication of any immediate medical attention and special treatment needed**

*No further relevant information available.*

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing agents:**

*CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*

**For safety reasons unsuitable extinguishing agents:** *Water with full jet*

**5.2 Special hazards arising from the substance or mixture** *No further relevant information available.*

### 5.3 Advice for firefighters

**Protective equipment:** *No special measures required.*

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

*Wear protective equipment. Keep unprotected persons away.*

**6.2 Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*

### 6.3 Methods and material for containment and cleaning up:

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

*Use neutralising agent.*

*Dispose contaminated material as waste according to item 13.*

*Ensure adequate ventilation.*

*Do not flush with water or aqueous cleansing agents*

### 6.4 Reference to other sections

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

*Ensure good ventilation/exhaustion at the workplace.*

*Prevent formation of aerosols.*

**Information about fire - and explosion protection:** *Keep ignition sources away - Do not smoke.*

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage:**

**Requirements to be met by storerooms and receptacles:** *No special requirements.*

**Information about storage in one common storage facility:** *Not required.*

**Further information about storage conditions:** *Keep container tightly sealed.*

**Storage class:** *8 A*

**7.3 Specific end use(s)** *No further relevant information available.*

## SECTION 8: Exposure controls/personal protection

**Additional information about design of technical facilities:** *No further data; see item 7.*

(Contd. on page 4)

— EU —

# Safety data sheet

## according to 1907/2006/EC, Article 31 and 453/2010/EC

Printing date 30.10.2019

Version number 6

Revision: 29.10.2019

Trade name: Cu-Roflux 39

(Contd. of page 3)

**8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:	
<b>67-63-0 propan-2-ol</b>	
AGW (Germany)	Long-term value: 500 mg/m <sup>3</sup> , 200 ppm 2(II);DFG, Y
<b>7646-85-7 zinc chloride</b>	
MAK (Germany)	Long-term value: 0.1A* 2E** mg/m <sup>3</sup> *alveolengängig; **einatembar

Regulatory information AGW (Germany): TRGS 900

recommended monitoring procedures in accordance with 453/2010/EU no. 8.1.2:

67-63-0 propan-2-ol: MétroPol Fiche 077 Alcools en C3 à C8(F), MTA/MA-016/A89(ESP), BIA 8415(D)

7646-85-7 zinc chloride: NIOSH 7300, 7301, 7303(E) "Zinc", OSHA, ID-121(E)

Ingredients with biological limit values:	
<b>67-63-0 propan-2-ol</b>	
BGW (Germany)	25 mg/l Untersuchungsmaterial: Vollblut Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Aceton
	25 mg/l Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Aceton

Regulatory information BGW (Germany): TRGS 903

Additional information: The lists valid during the making were used as basis.

**8.2 Exposure controls****Appropriate engineering controls:**

Ensure adequate ventilation.

Remove the fumes by means of suitable suction devices.

**Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

**Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

filter AB-P2

**Protection of hands:**

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material:  $\geq 0.33$  mm**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Value for the permeation: Level  $\leq 6$ **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Natural rubber, NR

**Eye protection:**

Tightly sealed goggles

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31 and 453/2010/EC

Printing date 30.10.2019

Version number 6

Revision: 29.10.2019

Trade name: Cu-Roflux 39

(Contd. of page 4)

Body protection: *Protective work clothing*

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

#### Appearance:

Form:	<i>Liquid</i>
Colour:	<i>Colourless</i>
Odour:	<i>Alcohol-like</i>
Odour threshold:	<i>Not determined.</i>
pH-value at 20 °C:	<i>4.7-4.8</i>

#### Change in condition

Initial boiling point and boiling range:	<i>82 °C</i>
Flash point:	<i>&gt; 65 °C</i>
Flammability (solid, gas):	<i>Not applicable.</i>
Ignition temperature:	<i>425 °C</i>
Decomposition temperature:	<i>Not determined.</i>
Auto-ignition temperature:	<i>Product is not selfigniting.</i>
Explosive properties:	<i>Product does not present an explosion hazard.</i>
Explosion limits:	
Lower:	<i>Not determined.</i>
Upper:	<i>Not determined.</i>
Vapour pressure at 20 °C:	<i>23 hPa</i>
Density at 20 °C:	<i>1.14-1.15 g/cm<sup>3</sup></i>
Relative density	<i>Not determined.</i>
Vapour density	<i>Not determined.</i>
Evaporation rate	<i>Not determined.</i>
Solubility in / Miscibility with water:	<i>Not miscible or difficult to mix.</i>
Partition coefficient: n-octanol/water:	<i>Not determined.</i>
Viscosity:	
Dynamic:	<i>Not determined.</i>
Kinematic:	<i>Not determined.</i>
Solvent content:	
Organic solvents:	<i>9.7 %</i>
Water:	<i>68.5 %</i>
VOC (EC)	<i>9.69 %</i>
9.2 Other information	<i>No further relevant information available.</i>

## SECTION 10: Stability and reactivity

- 10.1 Reactivity *No further relevant information available.*
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: *No decomposition if used according to specifications.*
- 10.3 Possibility of hazardous reactions *No dangerous reactions known.*
- 10.4 Conditions to avoid *No further relevant information available.*
- 10.5 Incompatible materials: *No further relevant information available.*
- 10.6 Hazardous decomposition products: *No dangerous decomposition products known.*

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

*Harmful if swallowed.*

#### LD/LC50 values relevant for classification:

##### 7646-85-7 zinc chloride

Oral	LD50	1,100-1,260 mg/kg (rat)
------	------	-------------------------

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31 and 453/2010/EC

Printing date 30.10.2019

Version number 6

Revision: 29.10.2019

Trade name: Cu-Roflux 39

(Contd. of page 5)

**Primary irritant effect:****Skin corrosion/irritation***Causes severe skin burns and eye damage.***Serious eye damage/irritation***Causes serious eye damage.***Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.***CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** *Based on available data, the classification criteria are not met.***Carcinogenicity** *Based on available data, the classification criteria are not met.***Reproductive toxicity** *Based on available data, the classification criteria are not met.***STOT-single exposure***May cause respiratory irritation.***STOT-repeated exposure** *Based on available data, the classification criteria are not met.***Aspiration hazard** *Based on available data, the classification criteria are not met.*

## SECTION 12: Ecological information

**12.1 Toxicity****Aquatic toxicity:** *No further relevant information available.***12.2 Persistence and degradability** *No further relevant information available.***12.3 Bioaccumulative potential** *No further relevant information available.***12.4 Mobility in soil** *No further relevant information available.***Ecotoxicological effects:****Remark:** *Toxic for fish***Additional ecological information:****General notes:***Must not reach sewage water or drainage ditch undiluted or unneutralised.**Also poisonous for fish and plankton in water bodies.**Toxic for aquatic organisms**Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water**Do not allow product to reach ground water, water course or sewage system, even in small quantities.**Danger to drinking water if even extremely small quantities leak into the ground.***12.5 Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.***12.6 Other adverse effects** *No further relevant information available.*

## SECTION 13: Disposal considerations

**13.1 Waste treatment methods****Recommendation***Must not be disposed together with household garbage. Do not allow product to reach sewage system.***European waste catalogue***06 03 13\*: solid salts and solutions containing heavy metals**HP 8: Corrosive**HP 14: Ecotoxic**cleaned plastic can:**15 01 02: plastic packaging**packaging:**15 01 01: paper and cardboard packaging***Uncleaned packaging:** *15 01 10\*: packaging containing residues of or contaminated by hazardous substances***Recommendation:** *Disposal must be made according to official regulations.***Recommended cleansing agents:** *Water, if necessary together with cleansing agents.*

## SECTION 14: Transport information

**14.1 UN-Number****ADR, IMDG, IATA**

UN3264

**14.2 UN proper shipping name****ADR**3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(ZINC CHLORIDE), ENVIRONMENTALLY HAZARDOUS

(Contd. on page 7)

# Safety data sheet

according to 1907/2006/EC, Article 31 and 453/2010/EC

Printing date 30.10.2019

Version number 6

Revision: 29.10.2019

Trade name: Cu-Roflux 39

(Contd. of page 6)

IMDG

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (ZINC CHLORIDE), MARINE POLLUTANT

IATA

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (ZINC CHLORIDE)

14.3 Transport hazard class(es)

ADR, IMDG

Class  
Label  
IATA8 Corrosive substances.  
8Class  
Label8 Corrosive substances.  
8

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Product contains environmentally hazardous substances:  
zinc chloride

Marine pollutant:

Yes  
Symbol (fish and tree)  
Symbol (fish and tree)

Special marking (ADR):

Warning: Corrosive substances.

14.6 Special precautions for user

Danger code (Kemler):

80

EMS Number:

F-A,S-B

Segregation groups

Acids

Stowage Category

A

Stowage Code

SW2 Clear of living quarters.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (ZINC CHLORIDE), 8, III, ENVIRONMENTALLY HAZARDOUS

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 65

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

(Contd. on page 8)

# Safety data sheet

according to 1907/2006/EC, Article 31 and 453/2010/EC

Printing date 30.10.2019

Version number 6

Revision: 29.10.2019

Trade name: Cu-Roflux 39

(Contd. of page 7)

**Waterhazard class:** *Water hazard class 3 (Self-assessment): extremely hazardous for water.*  
**15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

### Reasons for changes:

13.05.2015: *adaption to Regulation 453/2010 appendix II*  
 18.01.2017: *adaption to Regulation 830/2015/EU, 2012/18/EU*  
 06.09.2017: *chapter 11.1, chapter 9: pH, density*  
 10.04.2018: *chapter 13*  
 29.10.2019: *chapter 1*

### Relevant phrases

H225 *Highly flammable liquid and vapour.*  
 H302 *Harmful if swallowed.*  
 H314 *Causes severe skin burns and eye damage.*  
 H319 *Causes serious eye irritation.*  
 H336 *May cause drowsiness or dizziness.*  
 H400 *Very toxic to aquatic life.*  
 H410 *Very toxic to aquatic life with long lasting effects.*

**Contact:** *Dr. M. Probst*

### Abbreviations and acronyms:

ADR: *Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*  
 IMDG: *International Maritime Code for Dangerous Goods*  
 IATA: *International Air Transport Association*  
 GHS: *Globally Harmonised System of Classification and Labelling of Chemicals*  
 EINECS: *European Inventory of Existing Commercial Chemical Substances*  
 ELINCS: *European List of Notified Chemical Substances*  
 CAS: *Chemical Abstracts Service (division of the American Chemical Society)*  
 VOC: *Volatile Organic Compounds (USA, EU)*  
 LC50: *Lethal concentration, 50 percent*  
 LD50: *Lethal dose, 50 percent*  
 PBT: *Persistent, Bioaccumulative and Toxic*  
 vPvB: *very Persistent and very Bioaccumulative*  
 Flam. Liq. 2: *Flammable liquids – Category 2*  
 Acute Tox. 4: *Acute toxicity – Category 4*  
 Skin Corr. 1B: *Skin corrosion/irritation – Category 1B*  
 Eye Dam. 1: *Serious eye damage/eye irritation – Category 1*  
 Eye Irrit. 2: *Serious eye damage/eye irritation – Category 2*  
 STOT SE 3: *Specific target organ toxicity (single exposure) – Category 3*  
 Aquatic Acute 1: *Hazardous to the aquatic environment - acute aquatic hazard – Category 1*  
 Aquatic Chronic 1: *Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*  
 Aquatic Chronic 2: *Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

**Safety data sheet SD3347**